Vegetable cultivar trials were conducted in the summer of 2018 at the Georgeson Botanical Garden (GBG) at the Alaska Agricultural and Forestry Experiment Station (64° 51'N, 147° 52'W). e goal of the trials is to help gardeners and farmers choose varieties that perform well in the Tanana Valley and perhaps other locations in Interior Alaska. Plot sizes are small and di erent results are likely on a larger scale. Gardeners and farmers can help document how di erent varieties perform in their own gardens and farms using the Grow&Tell mobile app.

Weather

Weather data were compiled from a U.S. Weather Service station, elevation 475 feet (145 m), located approximately 350 feet (107 m) west of the garden. e growing season got o to a slow start with a cool rst half of June. ere were quite a few hot days in late June and July. August was rainy and cold

formity, and pest and disease resistance. e lower-yielding varieties were less vigorous and had a much higher tendency to bolt. Taste tests were performed a er a workshop by volunteers. Detroit Dark Red had the highest taste rating while Falcon and Red Ace had the lowest taste and texture ratings.

Carrots

Carrot yields were not signi cantly di erent. Napoli yielded the highest average weight (2 pounds/row foot) while Sugarsnax yielded the lowest weight (0.4 pounds/row foot). Many varieties were forked and misshapen, perhaps because of the clayey soil. Sugarsnax, Touchon and Yaya were brittle and susceptible to breaking, but otherwise received acceptable ratings. Eskimo, Nantes Half Long and Nelson were highly rated for uniformity and had a pleasing carrot shape. Touchon, Sugarsnax and Nelson scored highest for taste. Yields and evaluations for Hercules, Napa, Nectar, Romance and Sugarsnax should be interpreted with caution as data for one plot was missing (likely due to an unreliable internet connection when collecting the data).

Celery

Most celery varieties did uniformly well. Tango OG averaged the highest yield at 4.9 pounds per row foot; however, data for one plot was missing. Redventure yields were signi cantly lower than Merengo, Nero and Tall Utah 52-70, which each averaged about 4 pounds per row foot and had uniform, large heads. Slugs infested Conquistador but no sustained damage was observed. In addition to low yield,

Acknowledgements
Katherine DiCristina, Georgeson Botanical Garden Manager

Retail Sources of Plants/Seeds
Burpee & Co., www.burpee.com/
Johnny's Selected Seeds, www.johnnyseeds.com/
Territorial Seed Co., www.territorialseed.com
Stoke's, www.stokeseeds.com/
Victory Seeds, www.victoryseeds.com/
High Mowing Organic Seeds, www.highmowingseeds.com/
Sherck Seeds, www.sherckseeds.com/